

## **Technical Offer**

Egyptian European Power Technology "ATOS" is specialized in the manufacture of power generating units since 1988.

Through years of development, we have formed an integrated chain starting from production, sales, and maintenance to customer service.

To meet the clients' diesel generator requirements, ATOS has set up and implemented a well- regulated management system target towards competitive prices, excellence in quality and reputable service in long-run plan.

## The offer include the following;-

- Gen-set ATV2.150
- Warranty.
- After Sales Service.

Gen-set :	Model:	ATV2.150			
	Rated power:	Prime Power ( PRP )		Standby rating (ESP)	
		KVA	KW	KVA	KW
		150	120	165	132









## **Specification**

GENERATING SET Frequency	50 Hz	
VOLTAGE	380 V	
PHASES	Three	
POWER FACTOR	0.80 PF	
Daily fuel tank	sufficient for 8 h operation at prime power	
Battery	Lead acid	
Gen-set construction	Gen-set Mounted on a base frame with integral anti-vibration mountings and lifting points. The Gen-Set has standard safety labels	

ENGINE:		
Manufacturer	Volvo	
Model	TAD731GE	
Origin	Germany	
Eng. Rate prime power	180 BHP - 133 KWM	
Cycle	Four stroke	
Number of cylinders	6	
Speed	1500 RPM	
Combustion system	direct injection	
Cooling system	Water Cooled	
Fuel Consumption	215 g/kwh @ prime power	
Electrical System	12 V	

The engine performance corresponds to ISO 3046, BS 5514 and DIN 6271. Engine speed governing in accordance with ISO 3046/IV, class A1 and ISO 8528-5 class G3











ALTERNATOR:		
Manufacturer	Stamford	
Model	UCI274F	
Origin	UK	
Prime Rated Power	160 KVA – 128 KW	
Insulation Class	Class (H)	
Temp. rise Class	Class (H)	
Ambient Temperature	40 °C	
Degree of Protection	IP 23	
Power Factor	0.8 PF	
Voltage Output 50 Hz	400 V	
No of Phases	3	
No of Bearings	Single bearing	
No of Poles	4	
Efficiency 92.3 %		
Control System	Self-Excited	

Stamford industrial generators meet the requirements of BS EN 60034 and the relevant section of other international standards such as BS5000, VDE 0530, NEMA MG1-32, IEC34, CSA C22.2-100, and AS1359.











# **The Control Panel:**

#### **Construction:**

- The control panel will be flexibly set mounted with a front opening door with protection equivalent to IP42.
- The panel is made of steel sheet with electrostatic paint and totally isolation.
- The panel designed to be manually, automatically operated and also can be at off mode for safety and maintenance.

#### Gen set circuit breaker:

Three poles circuit breaker (250 A) provides thermal and magnetic protection in case of overload or short-circuit conditions

### The panel contains DSE 6010 digital control unit

- Auto Start Control Module
- Measure, protect and indicate the following:

Control functions:	
Auto mode	Sleep mode
Off mode	Manual mode
Emergency stop switch	Fault History
Cycle cranking	LED indicating lamp
Time delay Start / stop (cool down)	Digital output voltage regulation
U/O Voltage sensor	U/O Frequency sensor

Engine Monitoring Equipment:		
Oil pressure	Engine temperature	
Engine speed	Plant battery volts	
Running hours	Intake manifold temperature	
Alternator Monitoring Equipment:		
Mains Volts (Ph-Ph/Ph-N)	Generator Ampere (L1, L2, L3)	
Generator Volts (L-L / L-N)	Generator kVA, kWh	
Generator Frequency (Hz)	Power factor	
Generator kW as % of rated kW setting	kVAR	

Alarms	
Over and Under Speed	Over Current
Low and High Battery Volt	Under / Over Generator Voltage
Start and Stop Failure	Over Current
Charge fail	Low Oil Pressure
Emergency stop	High engine temperature
kW overload	Unbalanced load











# Warranty:

- The Offered engines and attachments are warranted against faulty of manufacturing for a period of One year from delivery date or 1000 working hours whichever is closer
- Atos 's Warranty obligations hereunder shall exclude all consumable items, including but not limited to oil, grease, fuel, belts and filters, which will be provided by the customer or purchased by the customer

### After sales service:

- We provide our customers a permanent stock of full units and spare parts to serve all types of equipment.
- Call center provide technical support service **24/7**.
- We continue to offer job qualified and equipped maintenance workshops qualifies them for all acts of reforms in record time and the highest degree of efficiency.
- We concluding maintenance contracts for all generators.







